

# AF03 Specification





## Overview

Decenta AF03 features Intel® Atom® C5000 and P5000 Processor, with reliable and stable high performance, flexible expansion and other characteristics. It is suitable for network behavior management, firewall, VPN, IDS/IPS and other applications.

- Support Intel® Atom® C5000 and P5000 Processor.
- Support 4x UDIMM DDR4 memory up to 128G.
- Support LTE/5G with M.2 Key-B 3052.
- 2x 2.5" SATA HDD, 1x CF slot, 4GB.
- Powerful signal transmission capability with 8x LAN and 8x SFP, 3x Gen3 Bypass.
- Support TPM2.0 and Watchdog Timer.
- Support Extension Card.


## I/O Overview



# Specifications

Model		S21-P5000-AF03	
Processor		Intel® Atom® C5000 and P5000 Processor C5325/C5315/C5320/P5352/P5362	
Memory	Type	4x UDIMM DDR4	
	Capacity	(4-128GB)	
Graphic	Controller	BMC	
	Connector	VGA	
Network	5G	LTE/5G, M.2-B key-3052	
Storage	CF	1x CF slot,4GB	
	SSD	2x 2.5"/3.5" SATA HDD	
	M.2 Key-B	1x M.2/mSATA SSD	
	Mini-PCIe	1	
I/O	Front	LAN	8
		SFP+	8
		Console	1
		USB 2.0	2
		IPMI	1
		MGMT	1
		Extension Card	Support
		LED	6(1x Power; 1x HDD; 1x Alarm; 3x Bypass)
	Side	Power Button	1
		Power Input	2
		VGA	1
		Bypass	1
Environment	Temperature	Operating	0°C~40°C
		Storage	-20°C~60°C
	Humidity	Operating	10%~90% RH non-condensing
		Storage	5%~95% RH non-condensing
Feature	GPIO		4
	TPM		TPM2.0
	Watchdog Timer		Yes
Bios		Insyde	
OS		Linux	
Dimensions		450mm x 430mm x 89mm	
Material		Metal	
Power		ATX 150W	

# Dimensions (Unit: mm)



\*Specifications and information contained in this document are furnished for informational use only, and are subject to change at any time without notice, and should not be construed as a commitment by Decenta.